

Appelbe, S., & Milligan, G. (2009). *Chapter 10. Hetero-oligomerization of chemokine receptors.* Methods Enzym (Vol. 461).

Auclair, D., Miller, D., Yatsula, V., Pickett, W., Carter, C., Chang, Y., et al. (2007). *Antitumor activity of sorafenib in FLT3-driven leukemic cells.* Leukemia (Vol. 21).

Bader, B., Butt, E., Palmethofer, A., Walter, U., Jarchau, T., & Drueckes, P. (2001). *A cGMP-dependent protein kinase assay for high throughput screening based on time-resolved fluorescence resonance energy transfer.* J Biomol Screen (Vol. 6).

Bamborough, P., Angell, R. M., Bhamra, I., Brown, D., Bull, J., Christopher, J. A., et al. (2007). *N-4-Pyrimidinyl-1H-indazol-4-amine inhibitors of Lck: Indazoles as phenol isosteres with improved pharmacokinetics.* Bioorganic & Medicinal Chemistry Letters (Vol. 17).

Barrios Sosa, A. C., Boschelli, D. H., Ye, F., Golas, J. M., & Boschelli, F. (2004). *Synthesis and inhibition of Src kinase activity by 7-ethenyl and 7-ethynyl-4-anilino-3-quinolinecarbonitriles.* Bioorganic & Medicinal Chemistry Letters (Vol. 14).

Coward, P., Conn, M., Tang, J., Xiong, F., Menjares, A., & Reagan, J. D. (2009). *Application of an allosteric model to describe the interactions among retinol binding protein 4, transthyretin, and small molecule retinol binding protein 4 ligands.* Anal Biochem (Vol. 384).

Coward, P., Lee, D., Hull, M. V., & Lehmann, J. M. (2001). *4-Hydroxytamoxifen binds to and deactivates the estrogen-related receptor gamma.* PNAS (Vol. 98).

Crombie, A. L., Sum, F. - W., Powell, D. W., Hopper, D. W., Torres, N., Berger, D. M., et al. (2010). *Synthesis and biological evaluation of tricyclic anilinopyrimidines as IKKbeta inhibitors.* Bioorganic & Medicinal Chemistry Letters

Day, J. E. H., Sharp, S. Y., Rowlands, M. G., Aherne, W., Workman, P., & Moody, C. J. (2010). *Targeting the Hsp90 chaperone: synthesis of novel resorcylic acid macrolactone inhibitors of Hsp90.* Chemistry (Vol. 16).

Drake, K. A., Zhang, J. - H., Harrison, R. K., & McGeehan, G. M. (2002). *Development of a homogeneous, fluorescence resonance energy transfer-based in vitro recruitment assay for peroxisome proliferator-activated receptor delta via selection of active LXXLL coactivator peptides.* Anal Biochem (Vol. 304).

Emmitte, K. A., Wilson, B. J., Baum, E. W., Emerson, H. K., Kuntz, K. W., Nailor, K. E., et al. (2009). *Discovery and optimization of imidazo[1,2-a]pyridine inhibitors of insulin-like growth factor-1 receptor (IGF-1R)*. *Bioorganic & Medicinal Chemistry Letters* (Vol. 19).

Freiberg, G., Wilkins, J., David, C., Kofron, J., Jia, Y., Hirst, G. C., et al. (2004). *Utilization of microarrayed compound screening (microARCS) to identify inhibitors of p56lck tyrosine kinase*. *J Biomol Screen* (Vol. 9).

Jin, G., Aulabaugh, A., Pocas, J., Liu, H., Kriz, R., & Sampath, D. (2006). *Development and comparison of nonradioactive in vitro kinase assays for NIMA-related kinase 2*. *Anal Biochem* (Vol. 358).

Jin, G., Aulabaugh, A., Pocas, J., Liu, H., Kriz, R., & Sampath, D. (2006). *Development and comparison of nonradioactive in vitro kinase assays for NIMA-related kinase 2*. *Anal Biochem* (Vol. 358).

Kane, C. D., Stevens, K. A., Fischer, J. E., Haghpassand, M., Royer, L. J., Aldinger, C., et al. (2009). *Molecular Characterization of Novel and Selective Peroxisome Proliferator-Activated Receptor {alpha} Agonists with Robust Hypolipidemic Activity in Vivo*. *Mol Pharmacol* (Vol. 75).

Kuroda, K., Kobayashi, K., Kitagawa, Y., Nakagawa, T., Tsumura, H., Komeda, T., et al. (2008). *Efficient Antibody Production upon Suppression of O Mannosylation in the Yeast *Ogataea minuta**. *Appl Environ Micro* (Vol. 74).

Lee, G., Elwood, F., McNally, J., Weiszmann, J., Lindstrom, M., Amaral, K., et al. (2002). *T0070907, a selective ligand for peroxisome proliferator-activated receptor gamma, functions as an antagonist of biochemical and cellular activities*. *J Biol Chem* (Vol. 277).

Li, M., Luraghi, P., Amour, A., Qian, X. - D., Carter, P. S., Clark, C. J., et al. (2009). *Kinetic assay for characterization of spleen tyrosine kinase activity and inhibition with recombinant kinase and crude cell lysates*, *Anal Biochem* (Vol. 384).

Li, Y., Wang, Z., Furukawa, N., Escaron, P., Weiszmann, J., Lee, G., et al. (2008). *T2384, a novel antidiabetic agent with unique peroxisome proliferator-activated receptor gamma binding properties*. *J Biol Chem* (Vol. 283).

Li, Y., Wang, Z., Furukawa, N., Escaron, P., Weiszmann, J., Lee, G., et al. (2008). *T2384, a novel antidiabetic agent with unique peroxisome proliferator-activated receptor gamma binding properties*. *J Biol Chem* (Vol. 283).

Lindqvist, L., Oberer, M., Reibarkh, M., Cencic, R., Bordeleau, M. - E., Vogt, E., et al. (2008). *Selective Pharmacological Targeting of a DEAD Box RNA Helicase*. PLoS ONE (Vol. 3).

Liu, J., Knappenberger, K. S., Kack, H., Andersson, G., Nilsson, E., Dartsch, C., et al. (2003). *A Homogeneous in Vitro Functional Assay for Estrogen Receptors: Coactivator Recruitment*. Mol Endocrinol (Vol. 17).

Makishima, M., Okamoto, A. Y., Repa, J. J., Tu, H., Learned, R. M., Luk, A., et al. (1999). *Identification of a Nuclear Receptor for Bile Acids*. Science (Vol. 284).

Moshinsky, D. J., Ruslim, L., Blake, R. A., & Tang, F. (2003). *A Widely Applicable, High-Throughput TR-FRET Assay for the Measurement of Kinase Autophosphorylation: VEGFR-2 as a Prototype*. J Biomol Screen (Vol. 8).

Najima, Y., Yahagi, N., Takeuchi, Y., Matsuzaka, T., Sekiya, M., Nakagawa, Y., et al. (2005). *High Mobility Group Protein-B1 Interacts with Sterol Regulatory Element-binding Proteins to Enhance Their DNA Binding*. J Biol Chem (Vol. 280).

Ohshima, A., Takamatsu, Y., & Saitoh, H. (2010). *Efficient Selection of Cell Clones with Higher Productivity in the Production of Recombinant Human Monoclonal Antibodies*. JAACT: Basic and Applied Aspects

Patnaik, D., Jun Xian,, Glicksman, M. A., Cuny, G. D., Stein, R. L., & Higgins, J. M. G. (2008). *Identification of Small Molecule Inhibitors of the Mitotic Kinase Haspin by High-Throughput Screening Using a Homogeneous Time-Resolved Fluorescence Resonance Energy Transfer Assay*. J Biomol Screen (Vol. 13).

Porter, J., Payne, A., Whitcombe, I., de Candole, B., Ford, D., Garlish, R., et al. (2009). *Atropisomeric small molecule Bcl-2 ligands: Determination of bioactive conformation*. Bioorganic & Medicinal Chemistry Letters (Vol. 19).

Sabbatini, P., Rowand, J. L., Groy, A., Korenchuk, S., Liu, Q., Atkins, C., et al. (2009). *Antitumor Activity of GSK1904529A, a Small-molecule Inhibitor of the Insulin-like Growth Factor-I Receptor Tyrosine Kinase*. Clin Cancer Res (Vol. 15).

Sadler, T. M., Achilleos, M., Ragunathan, S., Pitkin, A., LaRocque, J., Morin, J., et al. (2004). *Development and comparison of two nonradioactive kinase assays for I kappa B kinase*. Anal Biochem (Vol. 326).

Schlapbach, A., Feifel, R., Hawtin, S., Heng, R., Koch, G., Moebitz, H., et al. (2008). *Pyrrolo-pyrimidones: A novel class of MK2 inhibitors with potent cellular activity*. *Bioorganic & Medicinal Chemistry Letters* (Vol. 18).

So, C. H., Verma, V., Alijaniam, M., Cheng, R., Rashid, A. J., O'Dowd, B. F., et al. (2009). *Calcium Signaling by Dopamine D5 Receptor and D5-D2 Receptor Hetero-Oligomers Occurs by a Mechanism Distinct from That for Dopamine D1-D2 Receptor Hetero-Oligomers*. *Mol Pharmacol* (Vol. 75).

Tremblay, G. B., Kunath, T., Bergeron, D., Lapointe, L., Champigny, C., Bader, J. A., et al. (2001). *Diethylstilbestrol regulates trophoblast stem cell differentiation as a ligand of orphan nuclear receptor ERR beta*. *Genes & Development* (Vol. 15).

Vassilev, L. T., Tovar, C., Chen, S., Knezevic, D., Zhao, X., Sun, H., et al. (2006). *Selective small-molecule inhibitor reveals critical mitotic functions of human CDK1*. *PNAS* (Vol. 103).

Velcicky, J., Feifel, R., Hawtin, S., Heng, R., Huppertz, C., Koch, G., et al. (2010). *Novel 3-aminopyrazole inhibitors of MK-2 discovered by scaffold hopping strategy*. *Bioorganic & Medicinal Chemistry Letters* (Vol. 20).

Wang, Y., Shakespeare, W. C., Huang, W. - S., Sundaramoorthi, R., Lentini, S., Das, S., et al. (2008). *Novel N9-arenethenyl purines as potent dual Src/Abl tyrosine kinase inhibitors*. *Bioorganic & Medicinal Chemistry Letters* (Vol. 18).

Wei, M., Wynn, R., Hollis, G., Liao, B., Margulis, A., Reid, B. G., et al. (2007). *High-Throughput Determination of Mode of Inhibition in Lead Identification and Optimization*. *J Biomol Screen* (Vol. 12).

Wickens, P., Kluender, H., Dixon, J., Brennan, C., Achebe, F., Bacchicocchi, A., et al. (2007). *SAR of a novel 'Anthranilamide Like' series of VEGFR-2, multi protein kinase inhibitors for the treatment of cancer*. *Bioorganic & Medicinal Chemistry Letters* (Vol. 17).

Wood, E. R., Shewchuk, L., Hassel, A., Nichols, J., Truesdale, A. T., Smith, D., et al. (2009). *Discovery of an inhibitor of insulin-like growth factor 1 receptor activation: Implications for cellular potency and selectivity over insulin receptor*. *Biochemical Pharmacology*

Zhang, W. - G., Shor, B., & Yu, K. (2006). *Identification and characterization of a constitutively T-loop phosphorylated and active recombinant S6K1: Expression, purification, and enzymatic studies in a high capacity non-radioactive TR-FRET Lance assay*. *Protein Expression and Purification* (Vol. 46).

---

Zhang, W. X., Wang, R., Wisniewski, D., Marcy, A. I., LoGrasso, P., Lisnock, J. - M., et al. (2005). *Time-resolved Forster resonance energy transfer assays for the binding of nucleotide and protein substrates to p38alpha protein kinase*. Anal Biochem (Vol. 343).

Zhou, V., Han, S., Brinker, A., Klock, H., Caldwell, J., & Gu, X. -ju. (2004). *A time-resolved fluorescence resonance energy transfer-based HTS assay and a surface plasmon resonance-based binding assay for heat shock protein 90 inhibitors*. Anal Biochem (Vol. 331).

Ziegler, D. S., Wright, R. D., Kesari, S., Lemieux, M. E., Tran, M. A., Jain, M., et al. (2008). *Resistance of human glioblastoma multiforme cells to growth factor inhibitors is overcome by blockade of inhibitor of apoptosis proteins*. J Clinical Investigation (Vol. 118).